AAMDOSHANTAK SYRUP

KEY FEATURES

Relieves Flatulence

Improves Appetite

Corrects Indigestion

KEVA

Kaipo

ARE YOU SUFFERING FROM THESE PROBLEMS ?

- Bloating
- Diarrhea
- Vomiting
- Heartburn
- Irritable bowel
- Floating
- Flatulence

KEVA

Kaipo

KEY BENEFITS

- Controls diarrhea and dysentery
- Amoebicidal effects
- Effective against ulcerative colitis
- Improves gastrointestinal functioning
- Can be used in the treatment of bleeding piles

KEVA

Kaipo

INGREDIENTS/DOSAGE

- Jatamansi
- Brahmi
- Shatawari
- Nidari
- Giloy
- Netrbala
- Niddang
- Harar
- Chitrak
- Ashwagandha
- Suksham
- Ela
- Dalchini
- water

INGREDIENTS

Dosage

For children :-
½ to 1 tsp syrup should be given twice or thrice a day
For adult :
1-2 tsp syrup should be given twice or thrice a day

KEVA

Kaipo

AAMDOSHANTAK

- It can be used in case of chronic conditions of the disease
- This should be taken for a period of one year
- It may be given to the patient for faster relief
- It is Ayurvedic patent medicine

KEVA

Kaipo

HOW IT WORKS?

A natural digestive stimulant recommended for the management of common digestive disorder such as indigestion

KEVA

Kaipo

HOW IT WORKS?

- ✓ Helps to balance Ph
- ✓ Promotes blood circulation
- ✓ Timely eliminate of toxins through the colon, kidneys
- ✓ Decrease the incidence of improperly digested food becoming toxic in the body

INDICATION :-

- ✓ Anorexia
- ✓ Spuce
- ✓ Diarrhea
- ✓ Acidity
- ✓ Peptic ulcer
- ✓ Dysentery

KEVA

Kaipo

COMPOSITION :- Each 70 ml syrup contains

SNO.	Ingredients	Botanical name	Quantity
• 1	Jatamansi	Nardostachys jatamansi	10 mg
• 2	Brahmi	Bacopa monnieri	15 mg
• 3	Shatawari	Asparagus racemosus	25 mg
. 4	Nidari	----------	25 mg
• 5	Giloy	Tinospora cordifolia	25 mg
• 6	Netrbala	Pavonia odorata	25 mg
• 7	Niddang	----------	25 mg
• 8	Harar	Terminalia chebula	25 mg
• 9	Chitrak	Plumbago zeylanica	25 mg
• 10	Ashwagandha	Withania somnifera	25 mg
• 11	suksham	----------	25 mg
• 12	Ela	Elettaria cardamomum	25 mg
• 13	Dalchini	Cinnamomum verum	10 mg

KEVA

Kaipo

DOSAGE

For children :-

✓ ½ to 1 tsp syrup should be given twice or thrice a day

For Adult :

✓ 1-2 tsp syrup should be given twice or thrice a day

KEVA

Kaipo

CONTACT

KEVA INDUSTRIES

WEBSITE: www.kevaind.org

KEVA

Kaipo

Thanks